

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Applicant: Geel)	
)	Attention: Initial Patent Examination
Confirmation No.: 7674)	
Serial No.: 10/585,538)	Division
)	
Filed: 7/10/2006)	Group Art Unit: Unknown
)	
For: Fibrous Veil Impregnated With Surface))	Examiner: unassigned
Finish Formulation)	

Box Missing Part
Assistant Commissioner For Patents
Washington, D.C. 20231

RESPONSE TO NOTIFICATION OF DEFECTIVE RESPONSE


Sir:

Applicant submits the following response to the notification of defective response mailed 2/11/2009.

As identified in the notification, there is a discrepancy in the second inventor Thomas Miller's middle initial. His correct middle initial is S, as it is identified in this application. The previously filed PCT application was filed with a typographical error in the inventor's middle initial. The PCT application expired 12/19/2006. This error was not discovered during the pendency of the PCT application. The inventor identified as Thomas K. Miller in the PCT application, is the same individual correctly identified as Thomas S. Miller in the present U.S. application. Applicant believes no additional documents are required.

Any fees that are due in connection with the filing of this response, including any fee for a required extension of time under 37 CFR 1.136(a) for which Applicant hereby petitions, please charge all necessary fees to Deposit Account No. 50-0658.

Respectfully submitted,



Jean N. Drew
Registration No. 52,364

Date: March 7, 2009

Owens Corning
Patent Dept., Bldg. 20
2790 Columbus Road
Granville, Ohio 43023
740-321-7173